


MISCELLANEOUS TOOLS

www.stetsonbuildingproducts.com

DUCT TAPE



DUCT TAPE

ITEM # 710066	2" X 60 YARDS (RED)
# 794712	2" X 60 YARDS (YELLOW)
# 794710	2" X 60 YARDS (GRAY)-STANDARD


MASKING AND STRAPPING TAPE



MASKING TAPE

ITEM # 794745	1" X 60 YARDS	7 DAY MASKING TAPE (BLUE)
# 794746	2" X 60 YARD	7 DAY MASKING TAPE (BLUE)
# 794759	3/4" X 60 YARDS	
# 794760	1" X 60 YARDS	
# 794761	2" X 60 YARDS	
# 794762	3" X 60 YARDS	

SPECIALTY TAPES



2"X165' POLY TAPE (CLEAR)

ITEM # 710063

CONSTRUCTION ADHESIVE

200 ADHESIVE

Degussa Building Systems

Sonneborn® 200 Adhesive is a ready-to-use multi-purpose synthetic-rubber-based adhesive for bonding foam insulation and other wall panels to various structurally sound substrates. It remains flexible for low-temperature installations and provides fast initial bond strength. Safe for insulation.

ITEM # 617008	11 OZ. TUBE
# 617010	QUART TUBE



Cedar Rapids, IA (800) 383-7272 • Des Moines, IA (800) 383-2181
Dubuque, IA (800) 894-6272 • Grand Island, NE (800) 228-8572



400 ADHESIVE

Degussa Building Systems

Sonneborn® 400 Adhesive is heavy-duty, AFG-01-compliant synthetic-rubber-based subfloor adhesive. It increases contact areas on wood for stronger, stiffer, quieter floors.

ITEM	# 617013	11 OZ. TUBE
	# 617015	QUART TUBE



PL PREMIUM ADHESIVE **10OZ TUBE, ONE-PART URETHANE ADHESIVE (24CS/768PA)**

Degussa Building Systems

Sonneborn® Premium Adhesive is a high-strength, high-solids, low-VOC polyurethane adhesive that is 3 times stronger than conventional adhesives. Its technologically advanced formula produces a permanent overnight bond to almost any substrate. Use it in all climates.

ITEM	# 617017	11 OZ. TUBE
	# 617018	QUART TUBE

SPECIALTY ADHESIVE

HANDI-FOAM CLEAN "A" W/COLLAR

Fomo Products

Handi-Foam® Polyurethane Cleaner is a spray solvent used to dissolve uncured foam. Handi-Foam Polyurethane Cleaner can also be attached to any of the one-component dispensing units, allowing the unit to be flushed and kept clean and operable.

ITEM	# 002003	12 OZ. CAN
------	----------	------------





HANDI-STICK SUB FLOOR ADHESIVE

Fomo Products

Handi-Stick® Subfloor Adhesive creates an extremely strong bond between the floor joist and subfloor decking and offers a permanent adhesion to wet, dry and frozen lumber. Handi-Stick Subfloor Adhesive has an open time of up to 20 minutes and offers faster application than traditional cartridges for reduced labor costs. Handi-Stick Subfloor Adhesive is used to reduce squeaks, nail pops and sound transmission.

Handi-Stick Subfloor Adhesive is applied with a dispensing unit, providing increased control and metering. These features help to reduce waste and save time.

ITEM # 002004 P10130 24 OZ. CAN



HANDI-STICK ADHESIVE

Fomo Products

Handi-Stick® Construction Adhesive can be used as both an adhesive and an insulator, carrying an R-value of 4-5 per inch (.03 w/m.k). It is also an excellent sealant for cracks and small holes. Handi-Stick Construction Adhesive adheres to a variety of building materials, has an open time of approximately 3 minutes and cures tack-free in less than 5 minutes.

Handi-Stick Construction Adhesive is applied with a dispensing unit, providing increased control and metering. These features help to reduce waste and save time.

ITEM # 002005 P10132 24 OZ. CAN



TWO-PART QUICK-CURE SEALANT KIT, HANDI-FOAM

Fomo Products

Handi-Foam® Two-Component Foam is a chemically cured foam system. Two-component foam systems consist of an "A" component and a "B" component. These two components mix in the nozzle of the dispensing unit, and the resulting foam cures much more quickly than one-component foams. Handi-Foam Two-component Foams are available in a variety of densities. Two-component foam systems will expand immediately upon chemical reaction of A-component and B-component to a final volume that is 3 to 5 times the dispensed volume, in typical applications, and may be as much as 8 times the dispensed volume in specific applications, depending on various factors such as cavity size, ambient conditions, etc. The foam will cure to a semi-rigid closed cell foam upon the chemical reaction of component A (polymeric isocyanate) with component B (a polyol blend containing certain additives) and carries an R-Value of 6 to 7 per inch (.02 w/m.k). Handi-Foam Two-Component Foam is tack free in less than 60 seconds and cures completely in 2-5 minutes. Cured foam can be trimmed, sanded and/or painted.

- Consists of two canisters, dispensing system & two nozzles
- Density = 1.75lbs per cubic foot (28kg per cubic meter)
- Contains no formaldehyde

ITEM # 002014	PI0600	II-12
# 002016	P10700	II-105 (LARGE KIT) 26.4 LB KIT
# 002021	P10720	II-205 (LARGE KIT) 41 LB KIT
# 002025	P10749	II-605 (LARGE KIT) 115.7 LB KIT



PDF-4-LF FRP ADHESIVE (WATER BASE)

Nudo Products

ITEM # 742705 4 GAL UNIT



FRANKLIN SOLVENT ADHESIVE FOR FRP

Nudo Products

ITEM # 742707 5 GALLON PAIL



77 SPRAY ADHESIVE

3M Products

High tack, high coverage and fast drying for permanently attaching foils, carpeting, lightweight paper, cardboard, felt and, cloth to painted or unpainted metals, wood and hardboard.

ITEM # 794700 16.5 OZ. CAN

Omaha, NE (800) 383-1272 • Rockford, IL (800) 383-3808
Rock Island, IL (800) 383-1240 • Waterloo, IA (800) 383-2959

MISCELLANEOUS TOOLS

www.stetsonbuildingproducts.com



90 HIGH STRENGTH SPRAY ADHESIVE

3M Products


A high strength, fast, contact adhesive. Fast contact strength buildup for many decorative laminates, yet only needs 1 to 2 minutes of drying time. Excellent adhesive for decorative laminates, particle board, and many other materials, even polyethylene, polypropylene, and SBR rubber.

ITEM # 794730 16 OZ. CAN.

POLY FILM

CARPET PROTECTION FILM

Filmtech




ITEM # 710016 36" X 500'
710018 36" X 200'

REINFORCED CLEAR POLY FILM

Max Katz

A superior heavy duty film that resists tears in any direction!



ITEM # 710050 8' X 100'
710051 10' X 100'
710052 12' X 100'
710054 16' X 100'
710055 20' X 100'
710056 24' X 100'
710058 28' X 100'
710090 32' X 100'
710100 20' X 100' (FIRE RATED)

Cedar Rapids, IA (800) 383-7272 • Des Moines, IA (800) 383-2181
Dubuque, IA (800) 894-6272 • Grand Island, NE (800) 228-8572