

GRINDERS



DW402 **4 1/2" GRINDER**

Dewalt

7.5 Amp AC/DC, 10,000 rpm motor provides high power, overload protection and speed for 4-1/2" grinding applications. Metal gear case dissipates heat for longer bearing, gear and motor life. Convenient paddle switch with lock-on button for easier gripping.

3 position removable side handle for greater comfort and control.

AC/DC capacity works off welding machines and generators for increased productivity and versatility. Spindle lock for quick and easy wheel changes. Matched wheel flanges allow for use of common accessories

ITEM#: 027354
027355

RECONDITIONED, 1 YR WARRANTY
10,000 RPM, 6 AMP, AC/DC

METW10-125 **5" GRINDER KIT 8.5 AMP W/DIAMOND BLADE**



Metabo

- W10-125 Quick 5" Angle Grinder
- Rated input: 1010 watts
- Maximum wheel diameter of 5"
- Grinding disc dia. 5"
- Metabo automatic safety clutch
- Wheel guard adjustment without tools
- Metabo "Quick" accessories can be changed without the use of spanners
- Metabo Long Lasting motor with dust protection for extra long service life
- Torque 29 in-lbs: for grinding and cutting power
- No-load speed 10,000 RPM
- 8.5 Amps
- 5/8" - 11 Spindle Thread
- Tool weight of 5.5 lbs.
- Standard Equipment of side handle, wheel guard, inner flange, and outer nut
- Carrying Case Optional

ITEM#: 012401



METW23-180
7" ANGLE GRINDER

Metabo

- Rated input: 2300 watts
- Maximum wheel diameter: 7"
- Grinding disc dia. 7"
- 3 position side handle
- 3 position rear handle for cutting/grinding
- Wheel guard adjustment without tools
- Auto-stop carbon brushes
- Torque 124 in-lbs
- No-load speed 8,500 RPM
- 15.0 Amps
- 5/8" - 11 Spindle Thread
- Tool weight of 13.3 lbs.
- Standard Equipment of side handle and wheel guard
- Carrying Case Optional

ITEM#: 012403

8500RPM, 124 INCH TORQ, 15AMP



METW23-230
9" ANGLE GRINDER

Metabo

- Rated input: 2300 watts
- Wheel diameter: 9"
- Grinding disc dia. 9"
- 3 position side handle
- 3 position rear handle for cutting/grinding
- Wheel guard adjustment without tools
- Auto-stop carbon brushes
- Torque 150 in-lbs
- No-load speed 6,600 RPM
- 15.0 Amps
- 5/8" - 11 Spindle Thread
- Tool weight of 13.6 lbs.
- Standard equipment of side handle and wheel guard
- Carrying Case Optional

ITEM#: 012406

6600RPM, 150 INCH TORQ., 15 AMP



METABO 00715/W7-115 **QUICK 4 1/2 GRINDER**

Metabo

- W7-115 Quick 4 1/2" Angle Grinder
- Rated input: 750 watts
- Maximum wheel diameter: 4 1/2"
- Grinding disc dia. 4 1/2"
- Metabo S automatic safety clutch
- Wheel guard adjustment without tools
- Metabo "Quick" accessories can be changed without the use of spanners
- Spindle lock
- Metabo Long Lasting motor with dust protection for extra long service life
- Torque 19 in-lbs
- No-load speed 10,000 RPM
- Amps 7.0
- Spindle thread 5/8" - 11
- Tool weight of 4.8 lbs.
- Standard equipment of side handle, wheel guard, inner flange, and outer nut
- Carrying Case Optional

ITEM#: 012411

7.0AMP WRENCHLES



METABO 06204/W7-115
4 1/2" NON-QUICK GRINDER 7.0 AMP

Metabo

- 4 1/2" Angle Grinder
 - Rated input: 750 watts
 - No-load speed: 10,000 RPM
 - Maximum wheel diameter: 4 1/2"
 - Grinding disc dia. 4 1/2"
 - Metabo S automatic safety clutch
 - Wheel guard adjustment without tools
 - Spindle lock
 - Metabo Long Lasting motor with dust protection for extra long service life
 - Torque 19 in-lbs
 - 7.0 Amps
 - 5/8" - 11 Spindle Thread
 - Tool weight of 4.8 lbs.
 - Standard equipment of side handle, wheel guard, flange nuts, and face spanner
 - Carrying Case: Optional
- ITEM#: 012415**



METW14-150 ERGO
6" RIGHT ANGLE GRINDER

Metabo

- Rated input: 1400 watts
 - No-load speed: 9,700 RPM
 - Maximum wheel diameter: 6"
 - Grinding disc. Dia. 6"
 - 3 position side handle
 - 3 position rear handle for cutting/grinding
 - Wheel guard adjustment without tools
 - Auto-stop carbon brushes
 - Toque 44 in-lbs
 - 12.0 Amps
 - Spindle thread 5/8" - 11
 - Tool weight of 8.2 lbs.
 - Standard equipment of side handle, wheel guard, inner flange, outer nut, and face spanner
 - Carrying Case Optional
- ITEM#: 012523**



GRINDING ACCESSORIES

A variety of Metabo & Dewalt motor brushes and cut off steel wheels are available and in stock. Please call your local Stetson Building Products, Inc. office for more details.

SANDERS



METSXE425 **5" RANDOM ORBIT SANDER**

Metabo

Rated input: 400 watts

Orbit size: 3/16"

Electronic: V

Rotation and additional orbital movement of the sanding pad for extremely fine finishing and high sanding performance.

No sanding scratches when the running tool is applied to the work piece (Power Control System).

Universal tool for sanding flat and curved surfaces, wood, plastics, non-ferrous metals, sheet and stainless steel.

Variospeed (V) full-wave electronic speed control.

Thumbwheel for continuous variation of speed.

Velcro-faced sanding pad for rapid changing of accessories.

Integral dust extraction

Dust bag holder with dust retention flap

Sanding pad size: 5" round

Orbits per minute 5,000-12,000

Orbit size 3/16"

Amps 3.6

Tool weight 5.2 lbs,

Standard equipment of front handle, paper dust bag, medium hard Velcro backing pad, hexagon key, and assorted sanding paper

Carrying Case Optional

ITEM#: 012387

3.6AMP, 5000-12000 OPM