

POWER SCREWDRIVERS & GUNS



DW268 **VSR SCREW GUN VERSA-CLUTCH**

Dewalt

Heavy Duty VSR Versa-Clutch Screwdriver

Helical-cut steel, heat-treated gears for long life and durability

High power motor for metal fastening applications

Versa-clutch(torque adjustment system to “dial” the proper torque needed to efficiently drive fasteners without stripping or breaking fastener

Rubber-grip and two-finger trigger for increased comfort

Excellent ergonomics offers less user fatigue

ITEM#: 027178
0-2500RPM



DW266 **DEPTH SENSITIVE VSR SCREW GUN**

Dewalt

Ideal for use with TEKS(screws

Helical-cut steel, heat-treated gears for long life and durability

Metal gear housing for increased durability

Depth-sensitive “set and forget” nosepiece for consistent fastener depth

Rubber grip and two-finger, rubber trigger for increased comfort

ITEM#: 027185
0-2500 RPM



DW257R
DEPTH SENSITIVE SCREW GUN

Dewalt

Helical-cut steel, heat treated gears for long life and durability

High torque for deck building, drywall, and heavy gauge steel stud framing

Depth-sensitive, "set and forget" nosepiece for consistent fastener depth

Two-finger, rubber trigger for increased comfort

Excellent ergonomics

ITEM#: 027188

0-2500 RPM, 6.2AMPS, RECONDITIONED



DW272R
DRYWALL SCREW- DRIVER

Dewalt

Metal gear housing for increased durability

Depth sensitive "set and forget" nosepiece for consistent fastener depth

Rubber grip and two-finger trigger for increased comfort

Helical-cut steel, heat-treated steel gears for long life and durability

Lightweight with excellent ergonomics

ITEM#: 027199

W/50'CORD-RECONDITIONED



DW255R
H.S DRYWALL SCREWDRIVER - RECONDITIONED

Dewalt

Depth-sensitive “set and forget” nosepiece for consistent fastener depth.

Tow-finger trigger for increased comfort.

Hi-speed transmission for production drywall hanging.

Lightweight with excellent ergonomics.

Helical-cut, heat-treated gears for long life and durability.

ITEM#: 027201



MIL6791-21
TEX DRIVER KIT

Milwaukee

Combination deck and drywall gun with carrying case and accessories for drilling and self drilling fasteners.

Powerful 6.5 amp motor, 0 to 2500 rpm, variable speed control.

Two ramp-off depth locators for drywall and self-drill fasteners.

10 ft. 2-wire Quik-Lok(r) cord for easy storage and field replacement.

Includes:

3 piece bit kit, No. 2 phillips bit, bit holder, drywall locator assembly, Tek locator assembly, hex socket set.

ITEM#: 010936

REMODELER'S KIT



MIL8975-6 **HEAT GUN**

Milwaukee

This professional line of Heat Guns offer ergonomic style and powerful heating elements. With stay cool handles and heat shields, you can use these all day while you stay cool. Model 8975-6 offers 570 degree and 1000 degree temperature ranges. All this power and it only weighs 1.6 lbs.

ITEM#: 010975

DRIVER/GUN ACCESSORIES



QUALTOOL BITS

Insert Bits are used in magnetic or non-magnetic Bit Holders. The notches on the hex shank allow the C-ring in the Bit Holder to retain the bit in the holder. Power Bits are inserted directly into the front end of the power screwdriver. The ball groove on the bit mates with a spring loaded metal ball inside the driver. Power bits should never be used in a Bit Holder as they are impossible to remove from the holder.

A variety of sizes available and in stock.

Hex Drive, Hex Drive Nutsetters, Bit Holders, Phillips Insert Bits, and Square Insert Bits.



IMPACT WRENCH

DW290 **1/2" REV. IMPACT WRENCH**

Dewalt

AC/DC forward/reverse rocker switch.

Delivers full power, 240 ft. lbs. of torque in forward and reverse.

Detent pin for secure socket retention.

Externally replaceable brushes for easy service ability.

Ball-bearing construction for increased durability.

ITEM#: 027190

240 FT/LBS TORQUE





MIL9070-20
1/2" IMPACT WRENCH

Milwaukee

Delivering 300 ft. lbs. of torque and weighing only 6 pounds, this tool has a great power to weight ratio. The powerful 7.0 amp motor drives a unique impact mechanism at 1800 RPM (no load). This model features a pin-detent system to securely retain sockets or adapters and a rocker switch for quick selection of forward or reverse. The ergonomically shaped handle with a soft cushioned grip provides a well-balanced and controllable feel to the tool. The special mechanism achieves desired installation torque faster and loosens rusted or fretted bolts in less time.

ITEM#: 010985

POWER DRILLS



DW160
3/8" SHORTY RIGHT ANGLE DRILL

Dewalt

100% ball-bearing construction provides durability and longer tool life.

Compact right-angle design for easy access in tight places.

Paddle switch is ideal for use in awkward positions and limited access areas.

Shielded chuck protects user and improves grip in confined areas.

Double gear reduction increases torque performance and decreases gear stress.

ITEM#: 027050
1200RPM



D21002
3/8 O-2500 RPS VSR DRILL

Dewalt

Features:

All ball-bearing construction provides greater durability and longer tool life
 Contoured textured handle provides better gripping surface and reduces user fatigue
 Built-in two-way level for drilling accurate vertical and horizontal holes
 Glass-filled nylon housing is durable, impact resistant and provides lower maintenance cost. Belt clip conveniently holds tool and frees user's hands for other work.

Includes:

chuck key with holder

ITEM#: 027051
 6.0 AMP



D21009
3/8 VSR DRILL

The 7.0 Amp motor offers high performance and overload protection.

3/8" metal keyless chuck offers greater bit retention.

All ball-bearing construction provides greater durability and longer tool life.

Contoured textured handle provides better gripping surface and reduces user fatigue.

Built-in two-way level for drilling accurate vertical and horizontal holes.

Glass-filled nylon housing is durable, impact resistant and provides lower maintenance cost.

All metal chuck offers greater durability.

ITEM#: 027060
 O-2500RPM ALL METAL KEYLESS CHUCK, 6AMP



DW223G
3/8" HD VSR DRILL

Dewalt

Helical-cut steel, heat-treated gears for increased durability and long gear life.

Metal gear housing for jobsite durability and increased reliability.

Two-finger trigger for increased comfort.

DIN nose for side handle or rig mount.

3-wire grounded plug/cord.

ITEM#: 027065
0-1200RPM, 7AMP



DW245
1/2" VSR DRILL

Dewalt

Helical-cut steel, heat-treated gears for increased durability and long gear life.

Metal gear housing for jobsite durability and increased reliability.

Two-finger trigger for increased comfort.

Triple gear reduction provides increased torque and reduces gear stress.

360° side handle for greater control and versatility.

ITEM#: 027075
0-600 RPM, 7.8 AMP



DW131
1/2" REV. DRILL

Dewalt

AC/DC, reversing switch

5/8" spindle for increased durability in high torque applications.

Top handle and back handle for improved control for all drilling and mixing applications.

Triple gear reduction provides increased torque and reduces gear stress.

Trigger switch and toggle reversing lever provides easy forward/reverse action and assists in backing out jammed bits and or mixing drywall mud.

Low 450 RPM provides increased torque for drilling large diameter holes in wood and metal.

ITEM#: 027085
450 RPM



DW246
1/2" H.D. DRILL

Dewalt

Single-sleeve keyless chuck with spindle lock provides greater bit retention and tool-free convenience.

Triple gear reduction provides increased torque and reduces gear stress.

Rubber grip and two-finger trigger for increased comfort and greater control.

Metal gear housing for jobsite durability and increased reliability.

Helical-cut steel, heat-treated gears for increased durability and long gear life.

360° side handle for greater control and versatility.

ITEM#: 027135
0-600 RPM VSR, W/KEYLESS CHUCK



DW235G **1/2" DRILL**

Dewalt

Helical-cut steel, heat-treated gears for increased durability and long gear life.

Metal gear housing for jobsite durability and increased reliability.

Two-finger trigger for increased comfort.

360° side handle for greater control and versatility.

ITEM#: 027195

0-850 RPM VSR 7.8 AMP



DW505 **1/2" H.D. VARIABLE SPEED HAMMER DRILL**

Dewalt

7.8 Amp motor provides high performance and overload protection.

High/low speed for high speed drilling or high torque applications.

Dual mode: hammer drill/drill for wood, steel or masonry applications.

Lightweight design for less user fatigue.

Two-finger trigger for increased comfort.

360° side handle with depth rod offers greater control, versatility, and increased depth accuracy.

Variable speed allows for precise hole placement on work surface.

ITEM#: 027215



DW983KS2R
14.4V, 3 SPEED DRILL DRIVER

Dewalt

DW983 XRP™ 1/2" 14.4V drill/driver with 400 inch lbs. of maximum torque and exclusive 3 - speed all metal transmission.

DW935 14.4V trim saw with 5-3/8" 16 tooth carbide tipped blade cuts 2X4's at 90 degrees in a single pass.

Includes:

DW983 XRP™ 1/2" drill/driver

DW935 trim saw

1 hour charger

(2) 14.4V XR PACK® batteries

double ended screwdriver bit

5-3/8" carbide tipped trim saw blade

heavy-duty kit box

ITEM#: 027233

W/2 BATT., RECONDITIONED



DW980K-2
1/2" 12 VOLT DRILL/ DRIVER KIT

Dewalt

DEWALT built high torque motor delivers 400 in.-lbs of maximum torque.

XRP™ extended run-time batteries provide long run-time & battery life.

Patented 3-speed transmission features a max 3rd speed at 1,800 rpm.

1/2" metal ratcheting chuck with carbide jaws helps to prevent bits from slipping.

Includes:

1 hour charger, (2) 12V XRP Batteries, double-ended screwdriver bit, heavy-duty kit box.

ITEM#: 027234

2 BATTERIES

Makita

6337DWDE
14.4V CORDLESS DRILL KIT

Makita

ITEM#: 175302

Omaha, NE (800) 383-1272 • Rockford, IL (800) 383-3808
 Rock Island, IL (800) 383-1240 • Waterloo, IA (800) 383-2959

Makita

6347DWDE **18V CORDLESS DRILL BIT**

Makita

ITEM#: 175304
W/2 BATTERIES & CHARGER



MIL0201-20 **3/8" DRILL**

Milwaukee

With a powerful 7.0 amp motor this 3/8 in. drill can perform at the higher speed of 0-2500. Drilling, surface finishing and other maintenance tasks go quickly with the extra speed.

ITEM#: 010069
2500 RPM REVERSIBLE



MIL0234-6 **1/2" MAGNUM DRILL REV SC**

Milwaukee

This heavy duty Magnum® drill is built for industrial/construction applications. It features raw power with a Milwaukee built 5.5 amp motor, 0-850 rpm trigger speed control, reversing, and a Quik-Lok® cord that can be quickly removed from the drill for storage or service replacement. Another exclusive feature is the brush cartridge system, with a set of spare brushes, that allows you to change brushes in less than one minute. Use this tool with a variety of accessories to drill into wood, metal, plastics and composites.

ITEM#: 010072



MIL0375-6 **3/8" CLOSE QUARTER DRILL REV SC R**

Milwaukee

This Milwaukee 3/8 in. close quarter drill is a unique design for access into tight work places where a full size drill doesn't fit. It's lightweight, paddle switch and comfortable grip make this tool feel like an extension of your hand.

ITEM#: 010092
Cedar Rapids, IA (800) 383-7272 • Des Moines, IA (800) 383-2181
Dubuque, IA (800) 894-6272 • Grand Island, NE (800) 228-8572



MIL1660-6
1/2 COMPACT DRILL REV

Milwaukee

Big power in a compact drill, the Milwaukee 1660-6 is easy to use with its extra long handles. This drill is made for two handed operation which is nice for large hole drilling or material mixing, this drill has the power to handle it. This unit features a 450 rpm operating speed, a good speed for large bits or any hi-torque application.

ITEM#: 010245
 450 RPM



MIL1675-6
1/2 HOLE HAWG

Milwaukee

Power and torque, that's about all that needs to be said about the Hole-Hawg® line of drills. The compact design of this drill makes it perfect for drilling between studs and joists. This unit will handle up to a 4-5/8 in. Selffeed Bit. An extra long pipe handle helps you control the power. The 1675-6 features two speed ranges, 1200 and 300 rpm, this will greatly increase the versatility of this drill. Hi-torque and hi-speed make this the perfect choice for the heavy duty user.

ITEM#: 010261
 300 & 1200 RPM



MIL31076
RIGHT ANGLE DRILL KIT

Milwaukee

D-handle power and a right angle drive head make this drill package perfect for stud and joist drilling. Powerful 7 amp motors and three speed ranges make this a versatile tool that will handle a wide range of applications. The 3107-6 features a 0 to 500 rpm motor; this gives the two speed head 0 to 335 rpm on low and 0 to 750 rpm on high. These powerful units come in an impact resistant carrying case and include a side handle for ease of operation.

ITEM#: 010360
 REV SC(REPLC 31701)


DRILL ACCESSORIES

LENOX 

Variety of Bits available from Lenox.

IRWIN

Irwin Auger Bits available in a variety uses and sizes.



OAL SDS BIT

Spline Bit, Jobber Bit, Tapcon Masonry Bit, Carbide, Wedge Bit, Straight Shank, Spline Bits.

Variety of sizes and lengths in stock. Please call for you specific application.

ROUTER



DW621 **DEWALT 2HP PLUNGE ROUTER**

Dewalt

Full wave electronic variable speed motor with soft start runs at 8,000-24,000 rpm with constant speed under load to ensure a quality finish in all materials.

Rack and pinion depth adjuster, with micro-fine adjusting allows quick, accurate set ups

Only plunge router with built-in dust extraction through the column, removes 95% of the dust.

Spindle lock button allows one-wrench bit changes.

Innovative rubber-coated knobs have plunge-lock and on/off built-in for maximum user control.

1/4" - 1/2" collet capacity for greater versatility.

10 Amp motor uses state of the art circuitry for soft starts and smooth operation.

One piece motor shaft and spindle ensures perpendicularity and accuracy.

Guide Bushing adapter plate accepts standard guide bushings for template work.

Phosphorous bronze bushings for the smoothest plunge.

Micro-fine depth adjusts in increments of 1/256" for extreme accuracy.

ITEM#: 027206

1/4 & 1/2" COLLET

Cedar Rapids, IA (800) 383-7272 • Des Moines, IA (800) 383-2181
Dubuque, IA (800) 894-6272 • Grand Island, NE (800) 228-8572